

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: June 9, 1992

Date Submitted: June 3, 1992

Project: 7238, Metro Self Monitor, PO #M24744

**RESULTS OF ANALYSES OF THE WATER SAMPLE
FOR SELECTED METALS BY ICP (6010)
Results Reported as mg/L (ppm)**

<u>Sample #</u>	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M24744	0.82	0.20	2.8	0.09

Quality Assurance

Method Blank	<0.02	<0.02	<0.02	<0.02
--------------	-------	-------	-------	-------

M24744 (Duplicate)	0.81	0.19	2.7	0.08
-----------------------	------	------	-----	------

M24744 (Matrix Spike) Percent Recovery	104%	106%	106%	103%
--	------	------	------	------

M24744 (Matrix Spike Duplicate) Percent Recovery	105%	106%	105%	101%
--	------	------	------	------

Spike Blank Percent Recovery	100%	102%	103%	96%
---------------------------------	------	------	------	-----

Spike Level	5	5	10	5
-------------	---	---	----	---

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3008-B 16th Avenue West
Seattle, WA 98119
FAX: (206) 283-5044

June 9, 1992

Gerald Thompson, Project Leader
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134

Dear Mr. Thompson:

Enclosed are the results of the analyses of the sample submitted on June 3, 1992 from Project 7238, Metro Self Monitor, PO #M24744.

We appreciate this opportunity to be of service to you on this project. If you have any questions regarding this material, or if you just want to discuss any aspect of your projects, please do not hesitate to contact me.

Sincerely,



Mark Z Perin, Chemist

MZP/dp

Enclosures

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3008-B 16th Avenue West
Seattle, WA 98119
FAX: (206) 283-5044

DUPLICATE COPY

INVOICE # 92ACU0609-1

June 9, 1992

Alaskan Copper Works
628 South Hanford
Seattle, WA 98134

Re: Billing for the analyses of the environmental sample
submitted on June 3, 1992 from Project 7238, Metro Self
Monitor, PO #M24744 and reported to Gerald Thompson,
Project Leader.

1 water sample analyzed for
selected metals by ICP @
\$65 per sample

\$ 65.00

Amount Due

\$ 65.00

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: June 9, 1992
Date Submitted: June 3, 1992
Project: .7238, Metro Self Monitor, PO #M24744

RESULTS OF ANALYSES OF THE WATER SAMPLE
FOR SELECTED METALS BY ICP (6010)
Results Reported as mg/L (ppm)

<u>Sample #</u>	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M24744	0.82	0.20	2.8	0.09
<u>Quality Assurance</u>				
Method Blank	<0.02	<0.02	<0.02	<0.02
M24744 (Duplicate)	0.81	0.19	2.7	0.08
M24744 (Matrix Spike) Percent Recovery	104%	106%	106%	103%
M24744 (Matrix Spike Duplicate) Percent Recovery	105%	106%	105%	101%
Spike Blank Percent Recovery	100%	102%	103%	96%
Spike Level	5	5	10	5